

MEGGATHERRMAL

COLOR YOUR SPACE



MEGATHERMAL COLLECTION

Innovflor

A view from above gives us the unique opportunity to witness connectivity. The web of connections fascinates and assures us. In Megathermal collection, a simple neutral palette travels new paths when several hues are tangled together for each colorway. The way the shades shift in seemingly endless movements from one tile to the next is provocative and stirs attention.

Color your space



MEGATHERMAL 04/06




MEGATHERMAL 07





Design to
communicate,
not just
decorate.








MEGATHERMAL

SPECIFICATION:

Face yarn:	100% Nylon
Dye method:	100% Solution dyed
Gauge:	1/12
Pile weight:	510g/m ² (± 5%)
Total weight:	4800g/m ² (± 5%)
Pile height:	4.5mm (± 0.5mm)
Total height:	6.4mm (± 0.5mm)
Backing:	PVC
Size:	50cm*50cm
Dimensional stability:	≤0.2%
Packaging box:	20 tiles/ 5 m ² , pallet 200 m ²

PERFORMANCE

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Bf1-S1
Soil resistance :	2-3 grade ISO11378-2: 2001
Permanent antistatic:	≤2kv AATCC134-2016
Impact sound insulation:	ΔL _w :26 dB
Sound absorption:	Frequency Hz:125 250 500 1000 2000 4000 α _s 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α _w :0.20
Colour fastness to light:	6 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	(GB18587-2001 A grade) TVOC ≤0.500mg/m ² h Formaldehyde≤ 0.050mg/m ² h Styrene≤ 0.400mg/m ² h 4-phenylcyclohexene≤ 0.050mg/m ² h



Installation method

