

VERSA™

DESIGNED SURFACES

Since 1956

Compass South

Type I

Fabric Backed Vinyl Wallcovering




COMPASS

SOUTH

Timeless, yet innovative, the Compass South collection includes fresh new artistic designs from the award-winning LSI Design Studio. Included in this collection are signature prints, classic linens, silk effects and natural weaves.

Compass South wallcoverings are produced in our state-of-the-art plant in Suzhou, China. Designed and manufactured to meet the same high-quality standards as our USA facility, this new collection is available in more than 60 countries around the world.



Tussah Silk



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – download
- Warranty – download
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001

Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-401



CCS-402



CCS-403



CCS-404



CCS-405



CCS-408



CCS-406



CCS-407

Monroe



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – download
- Warranty – download
- Paking: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001

Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-409



CCS-411



CCS-412



CCS-413




CCS-414



CCS-410



CCS-415



CCS-416

Cubix Texture



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – [download](#)
- Warranty – [download](#)
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001


Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-417



CCS-420



CCS-422



CCS-424



CCS-426



CCS-428

Cubix



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – [download](#)
- Warranty – [download](#)
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001

Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-418



CCS-423



CCS-419



CCS-425



CCS-421



CCS-427



CCS-429

Tidewater



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – [download](#)
- Warranty – [download](#)
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001


Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-430



CCS-432



CCS-433



CCS-434




CCS-435



CCS-431



CCS-436



CCS-437

Dupion



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – [download](#)
- Warranty – [download](#)
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001

Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-438



CCS-440



CCS-441



CCS-442



CCS-443



CCS-439



CCS-444



CCS-445

Vintage



Specifications

- Width – 52/54 in (132/137 cm)
- Backing – Osnaburg
- Installation – Reverse hang / Random
- Weight – 15 OZ/LY (340 gr/m²)
- Hanging Instructions – [download](#)
- Warranty – [download](#)
- Packing: 30 LY(37.4 m²) / Roll

Environmental Attributes

- Low VOC meets CA01350
- Meets LEED criteria for EQc2
- Meets NSF/ANSI 342 certification; check with distributor for actual level
- Meets GB18585-2001

Fire Resistance Attributes

- USA ASTM E84 Class A
- China GB8624 Class B1
- European EN13501 Class B1
- British BS 476 Part 6 & Part 7 Class 0



燃烧性能等级标识





CCS-446



CCS-447



CCS-448



CCS-449



CCS-450



CCS-451



CCS-452

C O M P A S S

— SOUTH —

Pattern Name	Item ID 花色编号	Pattern Name 花纹名称	Installation	Backing	Roll Size
Tussah Silk	CCS-401	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-402	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-403	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-404	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-405	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-406	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-407	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-408	TUSSAH SILK	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
Monroe	CCS-409	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-410	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-411	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-412	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-413	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-414	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-415	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-416	MONROE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
Cubix	CCS-417	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-418	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-419	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-420	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-421	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-422	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-423	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-424	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-425	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-426	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-427	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-428	CUBIX TEXTURE	Straight Hang/Random Match	Osnaburg	52"-54" *30 Yards
Tidewater	CCS-429	CUBIX	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-430	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-431	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-432	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-433	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-434	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-435	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-436	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
Dupion	CCS-437	TIDEWATER	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-438	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-439	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-440	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-441	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-442	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-443	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-444	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
Vintage	CCS-445	DUPION	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-446	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-447	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-448	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-449	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-450	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-451	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards
	CCS-452	VINTAGE	Reverse Hang/Random Match	Osnaburg	52"-54" *30 Yards