



TITAN
Commercial Carpet Tile

Product Type	LOOP
Fiber Composition	100% Nylon (Polyamide 6)
Dye Method	Solution Dyed
Pile Weight	520 g/m ² (15.5 oz/yd ²)
Number of Tufts	197000/m ²
Machine Gauge	1/10"
Primary Backing	Non-Woven
Secondary Backing	StableShield-100% Vinyl
Tile Size	50 cm x 50 cm (19.6" x 19.6")
Pile Height	3.5 mm
Total Tile Height	6.5 mm
Pile Treatment	UV Treated Yarn & Walk Of Fame
Recommended Installation	Quarter Turn



**WALK
OF FAME**

Giving your carpets a boost of soil-resisting properties with Walk of Fame. An anti-soiling treatment that increases the lifespan of your carpet. Technology meets practicality with this dirt-repelling treatment.



SPECIFICATIONS

COLOURLINE




Titan 579




Titan 578




Titan 548



Titan 576




Titan 558




Titan 556




Titan 577




Titan 571




Titan 547



Titan 546



Titan 557



Titan 555





HOW TO INSTALL

QUARTER TURN

<	^	<	^
^	<	^	<
<	^	<	^
^	<	^	<





Standard
CARPETS

www.standardcarpets.com