



TRICK OR  
TREAT




|                          |                                  |
|--------------------------|----------------------------------|
| CONSTRUCTION             | LOOP                             |
| PILE FIBER COMPOSITION   | 100% Olefin                      |
| YARN TYPE                | BCF                              |
| DYE METHOD               | Solution Dyed                    |
| PILE WEIGHT              | 600 g/m <sup>2</sup>             |
| NUMBER OF TUFTS          | 177750/m <sup>2</sup>            |
| TUFTING GAUGE            | 1/10"                            |
| PRIMARY BACKING          | Non-Woven                        |
| SECONDARY BACKING        | <b>StableShield</b> - 100% Vinyl |
| TILE SIZE                | 50 cm x 50 cm                    |
| PILE HEIGHT              | 3.5 mm                           |
| TOTAL PILE HEIGHT        | 6.5 mm                           |
| PILE TREATMENT           | INVISTA Anti-Soil Treatment      |
| RECOMMENDED INSTALLATION | Quarter Turn or Brick            |

# SPECIFICATIONS


# COLOURLINE




TRICK OR TREAT - 646




TRICK OR TREAT - 648




TRICK OR TREAT - 656



TRICK OR TREAT - 675



TRICK OR TREAT - 676



TRICK OR TREAT - 677




TRICK OR TREAT - 678




TRICK OR TREAT - 695






# HOW TO INSTALL

**QUARTER TURN**



**BRICK**





Standard  
*CARPETS*

[www.standardcarpets.com](http://www.standardcarpets.com)