

# DEEPLINE

**COLOR YOUR SPACE**





## DEEPLINE COLLECTION

Innovflor


Deepline uses low-saturation color solutions make texture and color more unified, creating a tranquil and harmonious effect. It is more and more recognized and accepted by the public. Used in high-end places such as the president's office and reception room-an excellent choice.

*Color your space*









04



05



06



DEEPLINE 04/05/06













DEEPLINE 07



DEEPLINE 02/03





DEEPLINE 01

Color Your Space

**Innovflor®**

**DEEPLINE**

**SPECIFICATION:**

Face yarn:	100% Nylon
Dye method:	100% Solution dyed
Gauge:	1/10
Pile weight:	610g/m <sup>2</sup> (± 5%)
Total weight:	4800g/m <sup>2</sup> (± 5%)
Pile height:	6.5/5.5/4.5mm (± 0.5mm)
Total height:	8mm (± 0.5mm)
Backing:	PVC
Size:	25cm*100cm
Dimensional stability:	≤ 0.2%
Packaging box:	20 tiles/ 5 m <sup>2</sup> , pallet 200 m <sup>2</sup>


**PERFORMANCE**

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Bf1-S1
Soil resistance :	2-3 grade ISO11378-2: 2001
Permanent antistatic:	≤ 2kv AATCC134-2016
Impact sound insulation:	ΔL <sub>w</sub> : 26 dB
Sound absorption:	Frequency Hz: 125 250 500 1000 2000 4000 α <sub>s</sub> 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α <sub>w</sub> : 0.20
Colour fastness to light:	6 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	(GB18587-2001 A grade) TVOC ≤ 0.500mg/m <sup>2</sup> h Formaldehyde ≤ 0.050mg/m <sup>2</sup> h Styrene ≤ 0.400mg/m <sup>2</sup> h 4-phenylcyclohexene ≤ 0.050mg/m <sup>2</sup> h



DEEPLINE-01 DEEPLINE-02 DEEPLINE-03 DEEPLINE-04 DEEPLINE-05 DEEPLINE-06 DEEPLINE-07 DEEPLINE-08

Installation method



Herringbone Ashlar Monolithic Brick Basket

