

An aerial photograph of a desert landscape featuring rolling sand dunes. The dunes are illuminated from the side, creating soft shadows and highlighting the ripples on their surfaces. The colors range from light beige to a darker tan. The word "WARMTH" is printed in a large, bold, black, sans-serif font across the upper portion of the image.

WARMTH

COLOR YOUR SPACE



WARMTH COLLECTION

Innovflor
Ornament of color makes the office
environment no longer dull
so that the creativity of thinking jumps into mind
and the unique ideas light up the life.

Color your space





Creativity
is more than
just being
different.
Making the
simple,
awesomely
simple,
that's
creativity.





WARMTH 03/08



WARMTH 04/09



WARMTH 03/08



WARMTH 05/10



Setting goals
is the first
step in
turning the
invisible
into the
visible.



Color Your Space

Innovflor®

WARMTH

SPECIFICATION:

Face yarn:	100% Nylon
Dye method:	100% Solution dyed
Gauge:	1/12
Pile weight:	530g/m ² (± 5%)
Total weight:	4800g/m ² (± 5%)
Pile height:	4.5mm (± 0.5mm)
Total height:	6.2mm (± 0.5mm)
Backing:	PVC
Size:	25cm*100cm
Dimensional stability:	≤0.2%
Packaging box:	20 tiles/ 5 m ² , pallet 200 m ²

PERFORMANCE

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Bf1-S1
Soil resistance :	2-3 grade ISO11378-2: 2001
Permanent antistatic:	≤2kv AATCC134-2016
Impact sound insulation:	ΔL _w :26 dB
Sound absorbtion:	Frequency Hz:125 250 500 1000 2000 4000 α _s 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α _w : 0.20
Colour fastness to light:	6 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	(GB18587-2001 A grade) TVOC ≤0.500mg/m ² h Formaldehyde≤ 0.050mg/m ² h Styrene≤ 0.400mg/m ² h 4-phenylcyclohexene≤ 0.050mg/m ² h



Installation method

