

**COLOR YOUR SPACE**

**REBIRTH**



## REBIRTH COLLECTION

Innovflor  
Based in a soft natural color accent which provides a gentle and elegant solution for those spaces which require a neutral background but not a fully neutral flooring.

*Color your space*




REBIRTH 01/02/06



Quality is  
the best  
business  
plan

REBIRTH 01/02/03/04







Because we know  
it makes a difference





REBIRTH 05/06

**REBIRTH**

**SPECIFICATION:**

Face yarn:	100% Nylon
Dye method:	100% Solution dyed
Gauge:	1/12
Pile weight:	540g/m <sup>2</sup> (± 5%)
Total weight:	4800g/m <sup>2</sup> (± 5%)
Pile height:	4.5mm (±0.5mm)
Total height:	6.8mm (±0.5mm)
Backing:	PVC
Size:	50cm*50cm
Dimensional stability:	≤0.2%
Packaging box:	20 tiles/ 5 m <sup>2</sup> , pallet 200 m <sup>2</sup>

**PERFORMANCE**

Classification:	33
Castor chair rating:	A: intensive use
Fire classification :	Bf1-S1
Soil resistance :	2-3 grade ISO11378-2: 2001
Permanent antistatic:	≤2kv AATCC134-2016
Impact sound insulation:	ΔL <sub>w</sub> :26 dB
Sound absorption:	Frequency Hz:125 250 500 1000 2000 4000 α <sub>s</sub> 0.01 0.05 0.08 0.22 0.34 0.44
Noise reduction:	α <sub>w</sub> :0.20
Colour fastness to light:	6 grade QB/T 2755-2005
Colour fastness to water:	4-5 grade QB/T 2755-2005
Rubbing fastness:	4-5 grade QB/T 2755-2005
Indoor air quality:	(GB18587-2001 A grade)
	TVOC ≤0.500mg/m <sup>2</sup> h
	Formaldehyde ≤ 0.050mg/m <sup>2</sup> h
	Styrene ≤ 0.400mg/m <sup>2</sup> h
	4-phenylcyclohexene ≤ 0.050mg/m <sup>2</sup> h




Rebirth-01      Rebirth-02      Rebirth-03      Rebirth-04      Rebirth-05



Rebirth-06      Rebirth-07      Rebirth-08      Rebirth-09      Rebirth-10

Installation method



Ashlar      Brick      Monolithic      Quarter Turn

