

A modern office interior featuring a light-colored brick wall on the left, a wooden desk with a computer monitor, a purple upholstered armchair, and a window with a grid pattern. A purple overlay with a repeating geometric pattern is in the top right corner, containing the text "FAST LANE" in white capital letters. The office has a clean, industrial aesthetic with exposed ceiling pipes and modern lighting fixtures.

FAST LANE




CONSTRUCTION	LOOP
PILE FIBER COMPOSITION	100% Nylon (Polyamide 6)
YARN TYPE	BCF
DYE METHOD	Solution Dyed
PILE WEIGHT	500 g/m ²
NUMBER OF TUFTS	177750/m ²
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	StableShield - 100% Vinyl
TILE SIZE	50 cm x 50 cm
PILE HEIGHT	2.5 mm / 5.5 mm
TOTAL PILE HEIGHT	8.0 mm
PILE TREATMENT	INVISTA Anti-Soil Treatment, Anti-Microbial (Optional)
RECOMMENDED INSTALLATION	Quarter Turn

SPECIFICATIONS

COLOURLINE



FAST LANE 647



FAST LANE 677



FAST LANE 678



FAST LANE 6770



FAST LANE 6774



FAST LANE 6776



FAST LANE 6778




FAST LANE 6779



HOW TO INSTALL

QUARTER TURN





Standard
CARPETS

www.standardcarpets.com