

MINT



CONSTRUCTION	LOOP
PILE FIBER COMPOSITION	100% Nylon (Polyamide 6)
YARN TYPE	Cable
DYE METHOD	Solution Dyed
PILE WEIGHT	700 g/m ²
NUMBER OF TUFTS	268600/m ²
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	StableShield - 100% Vinyl
TILE SIZE	25 cm x 100 cm
PILE HEIGHT	2.5 mm / 6.0 mm
TOTAL PILE HEIGHT	9.0 mm
PILE TREATMENT	INVISTA Anti-Soil Treatment, Anti-Microbial (Optional)
RECOMMENDED INSTALLATION	Quarter Turn, Herringbone, Ashlar, Semi Ashlar or Random Plank

SPECIFICATIONS



COLOURLINE



MINT - 726



MINT - 742



MINT - 744



MINT - 745



MINT - 747



MINT - 749



MINT - 755



MINT - 757



MINT - 773



MINT - 774



MINT - 775



MINT - 776



MINT - 777




MINT - 779





HOW TO INSTALL


ASHLAR




SEMI ASHLAR




QUARTER TURN



HERRINGBONE



RANDOM





Standard
CARPETS

www.standardcarpets.com