




KEPLER  
Commercial Carpet Tile





Product Type	LOOP
Fiber Composition	100% Nylon (Polyamide 6)
Dye Method	Solution Dyed
Pile Weight	520 g/m <sup>2</sup> (15.5 oz/yd <sup>2</sup> )
Number of Tufts	185180/m <sup>2</sup>
Machine Gauge	1/10"
Primary Backing	Non-Woven
Secondary Backing	StableShield-100% Vinyl
Tile Size	50 cm x 50 cm (19.6" x 19.6")
Pile Height	3.5 mm
Total Tile Height	6.5 mm
Pile Treatment	UV TREATED YARN & Walk of Fame
Recommended Installation	Quarter Turn or Brick



**WALK OF FAME**

Giving your carpets a boost of soil-resisting properties with Walk of Fame. An anti-soiling treatment that increases the lifespan of your carpet. Technology meets practicality with this dirt-repelling treatment.



# SPECIFICATIONS

# COLOURLINE




Kepler 579




Kepler 578




Kepler 548



Kepler 576




Kepler 558



Kepler 556



Kepler 577




Kepler 571




Kepler 547



Kepler 546



Kepler 557



Kepler 555











# HOW TO INSTALL

**QUARTER TURN**



**BRICK**





Standard  
*CARPETS*

[www.standardcarpets.com](http://www.standardcarpets.com)